

AMENDED NO. 73861
APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office FEB 21 2006

Returned to applicant for correction FEB 28 2006

Corrected application filed _____

Map filed _____

The applicant **Hal and Crisann Bybee** hereby makes application for permission to change the **Point of diversion and Place of use of a portion** of water heretofore appropriated under **Permit 61963**

1. The source of water is **Underground**
2. The amount of water to be changed **11.65 AF - 3 cfs**
3. The water to be used for **Irrigation**
4. The water heretofore permitted for **Irrigation**
5. The water is to be diverted at the following point **SW1/4 NE1/4 Section 23, T.16N, R63E, M.D.B.&M. Quarter Section Corner 23 & 26, T16NR63E Bears S21 24' 15"W 2933.67 Ft. a 1967 BLM Brass Cap, The SOUTHWEST CORNER OF SECTION 23, T16NR63E, MDB&M Bears S53 01'56"W 4656.77 Ft., a 1967 BLM Brass Cap.**
6. The existing permitted point of diversion is located within **SW1/4SW1/4 Section 19, T17NR64E, MDB&M**
7. Proposed place of use **SW1/4NE1/4 Section 23, T16NR63E, MDB&M. 2.91 Acres to be Irrigated**
8. Existing place of use **SW1/4SW1/4 Section 19, T17NR64E, MDB&M. Permit 61963, 2.91 Acres to be Removed**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **Irrigation pipe; main line from well, sprinkler system, well and pump**
12. Estimated cost of works **&12,500**
13. Estimated time required to construct works **3 years**
14. Estimated time required to complete the application of water to beneficial use **3 Years**

73861

15. Remarks:

By **David E. Provost, PLS Agent**
1500 Murry St.
Ely, NV 89301

CANCELLED JUL 27 2006 BECAUSE OF
FAILURE TO SUBMIT A SUPPORTING MAP & AMENDED
APPLICATION
Tony Taylor P.E. STATE ENGINEER
eam

Compared ag/mt _____

Protested _____
